



**RIXZON**

Building Products & More..

[www.rixzonhome.com](http://www.rixzonhome.com)

# TUBE FITTINGS - DOUBLE FERRULES TYPE


## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM / BRASS / PTFE

**Size :** 1/8" to 2" 3mm to 50mm OD

**Thread Type :** NPT / BSP / BSPT / UNF / METRIC / SW/ Plain

**Pressure Rating :** Upto 9000 psi



# TUBE FITTINGS - SINGLE FERRULES TYPE

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM / BRASS / PTFE

**Size :** 1/8" to 2" 3mm to 50mm OD

**Thread Type :** NPT / BSP / BSPT / UNF / METRIC / SW/ Plain

**Pressure Rating :** Upto 9000 psi



# PIPE FITTINGS

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / SASS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM / BRASS / PTFE

**Size :** 1/8" to 2"

**Thread Type :** NPT / BSP / BSPT / METRIC / SW / BW

**Pressure Rating :** Upto 9000 psi

**Note :** All fittings are available in both Round and Hex as per standard ASME B16.11



# FLARE END FITTINGS

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / SASS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM / BRASS / PTFE

**Size :** 1/8" to 2"

**Thread Type :** NPT / BSP / BSPT / METRIC / UNF

**Pressure Rating :** Upto 10000 psi



# ORBITAL WELD FITTINGS


## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM

**Size :** 1/8" to 2"

**Thread Type :** BW & SW

**Pressure Rating :** Upto 10000 psi



# ERMETO FITTINGS

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / SASS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM

**End connections :** NPT / BSP / BSPT / SW

**Size :** 1/8" NB OD TO 2" NB OD & 6MM OD TO 50MM OD & 1/8" TO 2 Threaded **Pressure Rating :** Upto 10000 psi



# SEALANT INJECTION GREASE FITTINGS

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / SASS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM

**Size :** 1/4" to 2"

**Thread Type :** NPT / BSP / BSPT / METRIC

**Pressure Rating :** Upto 10000 psi

### VENTED BODY GREASE FITTINGS



### GIANT BUTTON HEAD



### LUBRICANT FITTINGS



### BODY VENT FITTINGS



### LEAK LOCK FITTINGS



### FITTINGS ACCESSORIES



# BALL VALVES

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / SASS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM / BRASS / IC

**End Connections :** NPT / BSPT / BSP / Tube OD & SW

**Size :** 1/4" to 2"

**Pressure Rating :** Upto 6000 psi (Upto 1000 psi For IC BV)



# HIGH PRESSURE BALL VALVES

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / SASS / MONEL / HASTELLOY / INCONEL / TITANIUM / TANTALUM / BRASS

**End Connections :** NPT / BSP / BSPT / SW

**Size :** 1/4" to 2"

**Pressure Rating :** Upto 10000 psi



# PANEL MOUNTING BALL VALVES

## Technical Information

**Grade :** CS / AS / SS / DSS / SDSS / SASS / MONEL / HASTELLOY tt / INCONEL / TITANIUM / TANTALUM / BRASS

**Size :** 1/4" to 1"

**End Connections :** NPT / BSPT / BSP / PL / SW

**Pressure Rating :** Upto 3000 psi





# **RIXZON**

Building Products & More..

Our Location  
**Vancouver**  
**BC, Canada**



778-809-3699



[sales@rixzonhome.com](mailto:sales@rixzonhome.com)

[www.rixzonhome.com](http://www.rixzonhome.com)